



PURCHASE ORDER

Procurement Unit

Telephone No.: (045) 606-8110 local 157/142


DELIVERY DUE DATE: 5/24/2026

Supplier : <u>XYMBOLIC IT SOLUTIONS PROVIDER CORPORATION</u> Address : <u>Stall F1-F3, F9-F11, City Square Park Arcade, 38 Magsaysay Drive, East Tapinac, Olongapo City, Zambales</u> TIN : <u>739-829-004-00000 VAT Reg.</u> Contact No : <u>(047) 222-8707</u>	P.O. No. : <u>2026-111</u> Date : <u>02/24/2026</u> Mode of Procurement : <u>Public Bidding</u>
---	--

Gentlemen:
 Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : <u>TARLAC STATE UNIVERSITY</u>	Delivery Term : <u>60 calendar days</u>
Date of Delivery : _____	Payment Term : <u>n/30</u>

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
1	unit	BIOMETRICS DEVICE RF ZKTECO INOSA-ID Optional : 125kHz EM / 13.56MHz IC Max User(1:N): 10,000 Max Fingerprint (1:N): 3,000 standard / 10,000 Optional Max Record 100,000 TCP/IP : 10/100 M PoE Optional: 802.3 at 28W Wi-Fi: 802.11 B/G/N 3G Optional : WCDMA USB :USB 2.0 (Host) RS232: 1 port for external printer LCD: 3.0"Color LCD Sound : 24-bit Power DC: 12V 1.5A Certificates: CE, FCC, RoHS Standard : Automatic Status Switch, Self-Service Query, DST, T9 Input, 9 Digit User ID, Scheduled Bell, Photo ID, Lock, sensor, Exit button Warranty: 1 year local supplier warranty)	10	22,100.00	221,000.00
3	unit	CABLE, HDMI AACBJ VENTION (5 Meters) Color: Black Interface Type: Standard HDMI Interface Process: Gold-plated Resolution: 4K 60Hz - 1080P 60Hz Conductor Material: Pure Copper Jacket: PVC Head: Two-color PVC injection Cable Length: 15 meters Cable OD: 8.0mm/9.5mm Shielding: Aluminium foil mvlar+Metal Braied AWG: 30AWG"	1	300.00	300.00
4	unit	CABLE, HDMI AACBJ VENTION (10 meters) Color: Black Interface Type: Standard HDMI Interface Process: Gold-plated Resolution: 4K 60Hz - 1080P 60Hz Conductor Material: Pure Copper Jacket: PVC Head: Two-color PVC injection Cable Length: 10 meters Cable OD: 8.0mm/9.5mm Shielding: Aluminium foil mylar+Metal Braied AWG: 30AWG"	26	500.00	13,000.00
5	unit	ABLE, HDMI AACBJ VENTION (20 meters) Color: Black Interface Type: Standard HDMI Interface Process: Gold-plated Resolution: 4K 60Hz - 1080P 60Hz Conductor Material: Pure Copper Jacket: PVC Head: Two-color PVC injection Cable Length: 20 Meters Cable OD: 8.0mm/9.5mm Shielding: Aluminium foil mylar+Metal Braied AWG: 30AWG"	30	1,500.00	45,000.00
6	unit	CABLE, UTP PANDUIT PUC6C04BU-FE CAT 6 Performance Level : Category 6, Cable Construction: U/UTP Flammability Rating: CM EuroClass Rating: Eca Resistance Properties: Flame-Retardant Jacket Material: Polyvinyl Chloride (PVC), Bend Radius (mm): 24 Number of Pairs: 4, Conductor Material: Copper Conductor Type : Soli, Overall Length (m): 305 Conductor Gauge (AWG) : 24 Insulation Material: High-Density Polyethylene, Insulation Diameter (mm) : 0.96 Standards Met : Exceeds ISO 11801 Class E and ANS/TIA- 568 2-D Category 6, IEC 61156-5, UL 1685, EN 50575: Euroclass Eca, meets IEEE 802.3af, IEEE 802.3at and IEEE 802.3bt for PoE applications, RoHS Compliant. Color: Grey Product Type: Copper Cable EuroClass	15	8,200.00	123,000.00
7	unit	CAMERA, WEB LOGITECH C270 Features: Simple HD Video Calls, Widescreen HD 720p video calls, Mono-noise reducing mic, Auto-light correction, Firm Mounting Option Max resolutions: 720p/30fps (1280x720 pixels) Camera megapixel: 0.9 Focus type: Fixed focus Lens type: Plastic Built-in Microphone type : Mono Mic range: Up to 1m Diagonal field of view (dFoV): 55° USB connectivity: USB-A plug-and-play Features: Universal mounting clip fits laptops, LCD or monitors Auto-light correction: Yes Warranty: 1 year local supplier warranty	16	1,200.00	19,200.00
8	unit	CHARGER, BATTERY for DSLR CANON LC-E10C (brand and model specified, it will be used with an existing CANON 1500D Camera) Original/Genuine Manufacturer Product Input Voltage Ac:100-240V Smart Charging Led Indicator Includes Universal 100-240V ac Power Cord Auto Switching Power Voltage From 100V-240V ac Designed to quickly and safely charge digital camera and camcorder battery		2,800.00	2,800.00
9	unit	CHARGER, NiMH BATTERY ENERGIZER CHPRO Designation: Pro Charger Color: Black Charge Capability: "AA" (2) or (4); "AAA" (2) or (4) Shutoff Mechanism: Delta V Detection; Timer (5 hours Charging Current: 2 or 4 x AA, 500mA; 2 or 4 x AAA, 220mA Input Rating: Universal Voltage: 100V-240vac, 50/60Hz, 7W Charging indication: Sound Indicators - Single Beep/Start - Double/Done; 3 Stage Status Indicators: Red - Charging O-49%; Amber - Charging (50-99%), Green - Fully Charged Typical Weight: 113.0 grams (3.9 oz.) Dimensions (mm): 116 x 70 x 50 (H x L x W) Volume (cm3): 4060 Plug Type: Folding Rev Polarity Protection: Yes Primary Battery Detection: Yes		1,900.00	1,900.00
11	unit	COOLER, LAPTOP COOLERMMASTER NOTEPAL X150 SPECTRUM Optimal Cooling Design Metal Mesh Contact Surface Silent Performance Multicolor LED-Strip USB Connectivity Color: Black Material : Metal Mesh/Plastic/Rubber Fan Dimensions : 160 x 160 x 15mm Fan Speed : 1000+15% RPM Fan Air Flow : 57CFM Fan Noise: 26 dBA Power : USB 5V DC USB : USB 2.0 x 3, Type-C x 1 Compatibility: Supports up to 17" laptop Warranty : 2 years manufacturer warranty	2	2,700.00	5,400.00
<i>sub-total:</i>					431,600.00





PURCHASE ORDER

Procurement Unit

Telephone No.: (045) 606-8110 local 157/142

DELIVERY DUE DATE: 5/24/2026


Supplier : XYMBOLIC IT SOLUTIONS PROVIDER CORPORATION	P.O. No. : 2026-111
Address : Stall F1-F3, F9-F11, City Square Park Arcade, 38 Magsaysay Drive, East Tapinac, Olongapo City, Zambales	Date : 02/24/2026
TIN : 739-829-004-00000 VAT Reg.	Mode of Procurement : Public Bidding
Contact No : (047) 222-8707	

Gentlemen:

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : TARLAC STATE UNIVERSITY	Delivery Term : 60 calendar days
Date of Delivery :	Payment Term : n/30

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
		Balance Forwarded:			431,600.00
12	unit	GIGABIT SWITCH DLINK DGS-F1010P-E 10 PORT UNMANAGED Interfaces: 8 x 10/100/1000 BASE-T ports, 2 x GE Uplink Standards: IEEE 802.3u, IEEE802.3af/at, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3x, Full-duplex Ethernet data link layers, IEEE 802.3z, Gigabit Ethernet fiber optic standard Media Interface Exchange : Auto MDI/MDI-Xadjustment on all ports Lighting Protection: 6KV Switching Fabric : 20 Gbps Transmission Method: Adopt Store-and-forward Data Transfer Rates: 1000 Mbps, 100 Mbps Packet Filtering / Forwarding Rates: 10M port maximum 14800pps, 100M port maximum 148800pps, 1000M port maximum 1488000pps PoE Standards IEEE 802.3af IEEE 802.3at PoE-Capable Ports : Port 1 - 8 (Port 1 - 8 PoE can support up to 250m @ 10Mbps with Extend enabled) Power Budget: 120W (30 W max. per PoE port)Power LED : Yes Link / Activity LED: Yes Certification: MI/EMC: CE Warranty: 1 year local supplier warranty	10	3600	36,000.00
13	unit	GIGABIT SWITCH DLINK DGS-1016C 16 PORT UNMANAGED RACKMOUNT Number of Ports : Sixteen (16) 10/100/1000 Gigabit ports Standards: IEEE 802.3 10BASE-T, IEEE 802.3u 100BASE-TX, IEEE 802.3ab 1000BASE-T , ANSI/IEEE 802.3 NWay auto-negotiation, IEEE 802.3x Flow Control Data Transfer Rates Ethernet: 10 Mbps (half duplex) / 20 Mbps (full duplex) 100 Mbps (half duplex) / 200 Mbps (full duplex), 2000 Mbps (full duplex Security Storm : Control Qos (Quality of Service) : 802.1p priority, 8 queues Protocol: CSMA/CD Switching Capacity: 32 Gbps MAC Address Learning: Self-learning, auto-aging Forwarding Mode: Store-and-forward DIP Switch: Energy-Efficient Ethernet (EEE), Flow Control, Port Isolation and Storm Control; MTBF 1,882,372 hours Warranty: 1 year local supplier warranty	5	3,500.00	17,500.00
14	unit	GIGABIT SWITCH DLINK DGS-1024A 24 PORT UNMANAGED RACKMOUNT Number of Ports: Twenty-four (24) 10/100/1000 Gigabit ports Standards: IEEE 802.3 10BASE-T, IEEE 802.3 100BASE-TX, IEEE 802.3ab 1000BASE-T, ANSI/IEEE 802.3 NWay auto-negotiation, IEEE 802.3x Flow Control Data Transfer Rates Ethernet: 10 Mbps (half duplex) / 20 Mbps (full duplex) 100 Mbps (half duplex) / 200 Mbps (full duplex), 2000 Mbps (full duplex Security Storm: Control QoS (Quality of Service) : 802.1p priority, 8 queues Protocol: CSMA/CD Switching Capacity: 32 Gbps MAC Address Learning: Self-learning, auto-aging Forwarding Mode : Store-and-forward DIP Switch: Energy-Efficient Ethernet (EEE), Flow Control, Port Isolation and Storm Control MTBF : 863,100 hours Warranty: 1 year local supplier warranty	5	5,300.00	26,500.00
15	unit	HUB, USB ORICO MDK-10P-BK-BP C Ports: 1 x HDMI Port 1 x PD Port 3 x USB 3.0 Port; 1 x TF/SD Reader 1 x 3.5mm Audio Port 1 x Gigabit Ethernet Port Compatible with Apple and Windows Laptop Warranty: 1 year local supplier warranty	2	1,500.00	3,000.00
16	unit	HUB, USB-C 6-IN-1 VENTION TOJHB Features a 4K HDMI output, allowing you to connect to high-resolution displays effortlessly. • With SD and TF card readers, transferring files is quick and efficient, boasting a data transfer speed of up to 5 Gbps. • 1 x USB-C, 1 x HDMI 2.0, 2 X USB 3.0, 1 X SD CARD READER, 1 X MICROSD CARD READER Warranty : 1 year local supplier warranty	3	700.00	2,100.00
17	unit	HUB, USB ORICO MDK-10P-BK-BP WITH NETWORK PORT Type C Hub with HDMI RJ45 Network Port USB C Multiport Port Hub Thunderbolt 3 Type C Docking Station SD TF Card Reader Slot USB 3.0 Type C to HDMI Adapter HDMI Port supports 4k@30Hz, VGA Port supports 1080P@60Hz. When HDMI and VGA output simultaneously, the resolution is 1080P@60Hz. Multiple shielding structure, Aluminum Foil + Metal Braided + GND, to ensure stable signal transmission. Aluminum shell Efficient good heat dissipation	3	1,900.00	5,700.00
18	unit	KEYBOARD, COMPUTER A4TECH KRS-92 Features High-Elasticity Silicon FN Multimedia Hot Keys Comfort Rounded Keycaps Water Splash Resistance Adjustable Keyboard Height Large Enter Key Character: Laser Engraving Report Rate: 125 Hz Plug: USB Warranty: 1 year local supplier warranty	10	400.00	4,000.00
19	unit	MONITOR, COMPUTER DELL PRO E2425HM Diagonal Viewing Size: 23.8" Preset Display Area (H x V): 527.04 mm x 296.46 mm (20.75" x 11.67") Area: 156,246.28 mm2 (242.18 inches2) Panel Type : In-Plane Switching (IPS) technology Display Screen Coating : Anti-glare with 3H hardness Maximum Preset Resolution: 1920 x 1080 Refresh rate: 100 Hz Viewing Angle : 178° vertical / 178° horizontal Pixel Pitch : 0.2745 mm x 0.2745 mm Pixel Per Inch (PPI): 92.53 Contrast Ratio: Ratio: 1 (typical) Aspect Ratio: 16:9 Backlight Technology: LED edgelight system Brightness: 250 cd/m2 (typical) Response Time : 5ms gray-to-gray (Fast mode), 8ms gray-to-gray (Normal mode) Color Support: Up to 16.7 million colors Color Gamut: 99% sRGB TUV Eye Comfort: Yes, 4-Star Flicker Free: Yes Connectivity: 1x HDMI 1.4 (HDCP 1.4) 1x DP 1.2 (HDCP 1.4), 1 x VGA, 1x USB 3.2 Gen1 Type-B upstream, 3x USB 3.2 Gen1 Type-A downstream, 1 x USB 3.2 Gen1 Type-C downstream with up to 15W PD (data only) USB Power Delivery: Yes, up to 15W via USB-C downstream port Adjustability : Height, Tilt, Swivel, Pivot Height : Up to 150mm (5.9") Tilt : -5°/+21° Swivel : -45°/+45° Pivot: -90°/+90° Compliant Standards ENERGY STAR certified monitor, EPEAT GOLD, EPEAT Climate+, TCO Certified Displays TCO Certified Edge, RoHS-compliant Warranty: 5 years next business day on-site repair / warranty on all labor and parts by the manufacturer's authorized in-country / local technical support on computer monitor.	8	15,500.00	124,000.00
		<i>sub-total:</i>			650,400.00





PURCHASE ORDER

Procurement Unit

Telephone No.: (045) 606-8110 local 157/142


DELIVERY DUE DATE: 5/24/2024

Supplier : XYMBOLIC IT SOLUTIONS PROVIDER CORPORATION	P.O. No. : 2026-111
Address : Staff F1-F3, F9-F11, City Square Park Arcade, 38 Magsaysay Drive, East Tapinac, Olongapo City, Zambales	Date : 02/24/2026
TIN : 739-829-004-00000 VAT Reg.	Mode of Procurement : Public Bidding
Contact No : (047) 222-8707	

Gentlemen: Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : TARLAC STATE UNIVERSITY	Delivery Term : 60 calendar days
Date of Delivery :	Payment Term : n/30

Stock/Property No.	Unit	Description	Quantity	Unit Cost	Amount
			Balance Forwarded:		650,400.00
20	unit	MOUSE, COMPUTER A4TECH OP620D Features: 4-way Wheel Durable Button Life Dust-Resistant Wheel Plug and Play; Type: Wired Resolution 1200 DPI Buttons No: 3; Port: USB Warranty: 1 year local supplier warranty	15	300.00	4,500.00
21	unit	MEDIA CONVERTER, TP-LINK C200CM OMADA GIGABIT MULTI-MODE Standards and Protocols : IEEE 802.3ab, IEEE 802.3z, IEEE 802.3x; Basic Function : Full Duplex Flow Control (IEEE 802.3x); Extends fiber distance up to 0.5km using 50/125um fiber, Extends fiber distance up to 0.22km using 62.5/125um fiberPorts : 1 x 1000M SC/UPC port, 1 x 1000M RJ45 port (Auto MDI/MDIX); Wave Length : 850nm, Network Media 1000BASE-FX : Multi-mode Fiber, Network Media 1000BASE-SX : Multi-mode Fiber, Network Media 1000BASE-T : UTP category S, Se cable (maximum 100m), EIA/TIA-568 1000 STP (maximum 100m), LED Indicators : PWR, LINK, RX; Power Supply External: Power Adapter, Max Power Consumption : 5.5W; Safety & Emission : FCC, CE, RoHS, Package Contents : Media Converter MC200CM, Power Adapter, Installation Guide, Warranty: 1 year local supplier	6	2,100.00	12,600.00
22	unit	MEDIA CONVERTER, DLINK DM 805 SMART Features: 1x 1000BASE-T RJ-45 port & 1 x 1000BASE-SX/LX LC SFP port; 2000 Mbps (full-duplex); Auto-MDI/MDIX; Can be used as a stand-alone device or installed in a chassis, Number of Ports : 1 x 1000BASE-T RJ-45 port, 1 x 1000BASE-SX/LX SC port; Standards: IEEE 802.3ab for 1000BASE-TX, IEEE 802.3z for 1000BASE-SX/LX; Data Transfer Rate: 2000 Mbps (full-duplex); Duplex Mode: Full-duplex; Media Types: 1000BASE-T: 4-pair Cat. 5, Shielded Twisted Pair (STP) (up to 100 m), 1000BASE-SX/LX: Depends on transceiver; Media Exchange Interface : Auto-MDI/MDIX; Functionality: Transmission Mode, Store-and-forward; Forwarding Rate : Full wire-speed forwarding rate; Management: Through the DMC-1000 chassis with the DMC-1002 management module installed; Management Functions: LLR, Fiber mode; Diagnostic LEDs : Power, LINK/ACT; AC Input : 5 V/1 A external power adapter; Fiber Wavelength : 1300 nm; Supported Fiber Cable Length : Depends on SFP transceiver; Emission Certifications (EMI) : FCC Class A, VCCI Class A, CE Class A; Warranty : 1 year local supplier warranty	4	2,600.00	10,400.00
23	unit	PRINTER, INDUSTRIAL ELECTRONIC LABELER BROTHER PT-E110VP 16-character Graphical LCD with real print preview -AD-24ES-01 AC Power adapter (included); -6 pcs of AAA batteries -QWERTY keyboard with dedicated numeric keypad -Maximum label length of 300mm -180dpi print resolution -20mm per second fast print speed -Manual cutter - Label design -Dedicated functions for cable wrap, cable flag, face place and sequential numbering -10 font styles, 3 character sizes and 3 character widths -200 symbols including electrical, security, audio/video and safety symbols -Add frames around labels -9 programmable memory -Automatic sequential numbering for fast printing of identification numbers -Print up to 9 copies -TZe tapes: 3.5, 6, 9, 12mm	3	4,700.00	14,100.00
24	unit	PRINTER, MONOCHROME MULTI-FUNCTION EPSON M3170 INKJET Printer Type: Print, Scan, Copy, Fax with ADF Maximum Copies from Standalone:99 copies Reduction / Enlargement:25 - 400% Auto Fit Function Maximum Copy Resolution:600 x 600 dpi Maximum Copy Size:Legal (ADF) ISO 29183, A4, Simplex (Black): Up to 17 ipm Scanner Type: Flatbed colour image scanner Sensor Type: CIS, Optical Resolution: 1200 x 2400 dpi Maximum Scan Area:216 x 297 mm (8.5 x 11.7") Scanner Bit Depth (Colour): 48-bit input, 24-bit output Scanner Bit Depth (Grayscale): 16-bit input, 8-bit output Scanner Bit Depth (Black & White): 16-bit input, 1-bit output Scan Speed: Flatbed (200dpi): Monochrome: 12sec, Colour: 27secADF (200dpi): Monochrome: 7.0ipm ADF Capacity:64 to 95 g/m2 Paper Capacity:35 sheets of A4 paper, Number of Paper Trays:2, Input Capacity: Cassette 1: 250 Sheets-A4 / Letter Plain Paper (80 g/m2); 10-sheets-Envelope; Rear Slot: 1 Sheet-A4 Plain Paper, Output Capacity: Up to 100 sheets Maximum Paper Size:215.9 x 1200 mm (8.5 x 47.24") Paper Sizes: Paper Sizes:Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", , Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), Envelopes: #10, DL, C6 Paper Feed Method:Friction feed Print Margin:3 mm top, left, right, bottom via custom settings in printer driver interface: USB 2.0 Network:Ethernet, WiFi IEEE 802.11b/g/n, Wi-Fi Direct Network Protocol:TCP/IPv4, TCP/ LCD Screen:2.4" LCD Touch Screen PrintheadNozzle Configuration:400 x 2 nozzles Black Print Direction:Bi-directional printing Maximum Print Resolution:1200 x 2400 dpi (with Variable-Sized Droplet Technology)Minimum Ink Droplet Size:2.8 pl Print Speed:Draft Text - Memo A4 (Black): 1p to 39 ppm *1 ISO 24734, A4 (Black): Simplex: Up to 20 ipm, Duplex: 9.0 ipm; First Page Out Time (Black): Approx. 6 sec (simplex) / 13 sec (duplex), Automatic 2-sided Printing: Yes With Additional 2 pieces of Maintenance Box Warranty: 4 years warranty 50,000 prints, whichever comes first. On-site repair by an authorized technician by the manufacturer	23	19,300.00	443,900.00
26	unit	PRINTER, PORTABLE LABEL EPSON LW600P Width: 6, 9, 12, 18, 24 mm Tape Type: LK Tape Cartridges Printing: Cutter Type: Automatic Full Cut Printing Technology: Thermal Transfer Printing Resolution: 180 dpi / 128 dot Text Data: Printable Lines: PC / App Dependent Memory: Files (Built-in Memory): PC / App Dependent Print Setting: Repeat Printing: Up to 99 (App) / 999 (P) Character Settings: Font Sizes: 6 (App) / PC Dependent Vertical Printing: Yes Mirror Printing: Yes Barcode Printing: Yes Wire Wrap: Yes Flag Style (Double-sided): Yes Double-sided Tab: Yes* Image Printing: Yes Interface: USB, Bluetooth Operating System: iOS, Android (Mobile), Windows, Mac OS (PC) Battery: 6AAA AC Adapter: Bundled Warranty: at least 1 year warranty	1	5,200.00	5,200.00
27	unit	PRINTER, SINGLE FUNCTION HP LASERJET 108A Print Speed Black Normal: Up to 20 ppm First Page Out Black: As fast as 8.3 sec, Resolution: Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dp Control Panel: Buttons (Power, Cancel); LED indicator lights (Power, Toner, Attention) Duty Cycle (Monthly, A4) Up to 10,000 pages Print Technology: Laser Processor Speed: 400 MHz Connectivity, standard: Hi-Speed USB 2.0 port Paper handling input, standard 150-sheet input tray, 10-sheet priority tray Paper handling output, standard 100-sheet output tray Warranty: 4 Years Next Business Day Exchange Service	11	8,400.00	92,400.00
<i>sub-total:</i>					1,233,500.00





PURCHASE ORDER

Procurement Unit
Telephone No.: (045) 606-8110 local 157/142


DELIVERY DUE DATE: 5/24/2026

Supplier : XYMBOLIC IT SOLUTIONS PROVIDER CORPORATION	P.O. No. : 2026-111
Address : Stall F1-F3, F9-F11, City Square Park Arcade, 38 Magsaysay Drive, East Tapinac, Olongapo City, Zambales	Date : 20/24/2026
TIN : 739-829-004-00000 VAT Reg.	Mode of Procurement : Public Bidding
Contact No : (047) 222-8707	

Gentlemen:
Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : TARLAC STATE UNIVERSITY	Delivery Term : 60 calendar days
Date of Delivery :	Payment Term : n/30

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
		Balance Forwarded:			1,233,500.00
28	unit	PRINTER, WIDE DOT MATRIX EPSON FX-2175II Printing Technology: Control Panel: 6 switches and 10 LEDs Print Direction: Bi-direction with logic seeking Printing Method: Impact dot matrix Number of Pins in Head: 9 pins Control Code: ESC/P2, IBM PPDS Printhead Life: 200 million strokes/wire Mean Print Volume Between Failure (MVBFF): 30 million lines (except print head) Mean Time Between Failure (MTBF): 15,000 Power On Hours (POH) (25% Duty) Bitmap Fonts Draft: 10, 12, 15 ci Roman / Epson Sans Serif: 10, 12, 15 cpi, Proportional Scalable Fonts: Roman / Sans Serif Barcode: EAN-13, EAN-8, Interleaved 2 of 5, UPC-A, UPC-E, Code 39, Code 128, POSTNET Paper Media: Cut Sheet (Single Sheet): Entry: Front Length: 100 - 420 mm, Width: 100 - 420 mm, Thickness: 0.12 - 0.39 mm Entry: Rear Length: 100 - 420 mm, Width: 100 420 mm, Thickness: 0.12 - 0.39 mm Continuous Paper (Single Sheet / Multi-part): Entry: Front / Rear / Bottom : Length: 101.6 - 558.8 mm, Width: 101.6 - 406.4 mm, Thickness: 0.065 - 0.39 mm Copies: Original + 4 copies Envelope (No.6): Entry: Rear: Length: 92 mm, Width: 165 mm, Thickness: 0.16 - 0.52 mm Envelope (No.10): Entry: Rear: Length: 105 mm, Width: 241 mm, Thickness: 0.16 - 0.52 mm Label (Base Sheet): Entry: Bottom : Length: 101.6 - 558.8 mm, Width: 101.6 - 406.4 mm, Thickness: 0.16 - 0.19 mm Card: Entry: Front / Rear: Length: 100 - 148 mm, Width: 100 - 148 mm, Thickness: 0.22 mm Roll Paper: : Entry: Rear Diameter: 127mm, Width: 216 mm, Thickness: 0.07 - 0.09 mm Line Spacing: 4.23mm (1/6") or programmable in increments of 0.059mm (1/432") Input Data Buffer: 128KB Pitch: 10cpi: 136 cpl Interface: USB 2.0, Bi-directional parallel (IEEE-1284 nibble mode supported) Warranty: 1 year manufacturer's warranty or Repair or Replacement, coverage both parts and labor, from manufacturer's authorized technicians or service centers	2	31600	63,200.00
29	unit	PRINTER, WIDE FORMAT ALL-IN-ONE HP OFFICEJET PRO 9730 Functions / Multitasking: supported : Print, copy, scan, fax / Yes; Print resolution : Black (best): Up to 1200 x 1200 rendered dpi;; Color (best): Up to 4800 by 1200; Print technology: Thermal Inkjet, Optical Thermal Inkjet; Print cartridges number: 4 (1 each black, cyan, magenta, yellow); Borderless printing : Yes (up to A3/11 x 17-in); Color scanning: Yes; Scan type / Technology: Flatbed, ADF / Contact Image Sensor (CIS); Scan resolution : Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi; Scan Size : ADF: Two-sided (Duplex): 8.27 x 11.69 in; One-sided: 8.5 x 14 in Maximum; Flatbed: 11.69 x 17 in; Copy speed : Black (ISO): Up to 18 cpm;; Color (ISO): Up to 13 cpm;; Black (draft): Up to 33 cpm;; Color (draft): Up t 31 cpm; Copy resolution: Black (text and graphics): Up to 600 dpi; Up to 600 dpi; Color (text and graphics): Up to 600dpi; Warranty : 4 Year Care Pack Business Priority Support with Onsite	1	23,900.00	23,900.00
30	unit	PROJECTOR, LCD EPSON EB-W53 Projection Technology: RGB liquid crystal shutter projection system (3LCD), White Light Output (Normal/Eco): 4,000 lm, Colour Light Output: 4,000 lm, USB Interface: USB Type A: 1 USB Type B: 1, Analog Input: Composite: 1 RCA, D-Sub 15pin: 1 Digital Input: HDMI: 1; Audio Input: 2RCA (White & Red): 1, Contrast Ratio: 16,000:1, Standard Size: Tele: 33" to 320" [1.10 to 10.89 m], Wide: 33" to 320" [0.91 to 9.07 m], Vertical/Horizontal Keystone: +30° / +30° (Auto Vertical Keystone only), Quick Corner: Yes, Air Filter: High Efficiency Filter; Features, Projectors Facets: Wifi, Quick Corner, Resolution, Projectors Facets: WXGA, Contrast Ratio, Projectors Facets: 16,000:1, Brightness Range Lumens, Projectors Facets: 2000, Wireless LAN Security Infrastructure: OPEN, WPA2/WPA3-PSK; LCD: Size: 0.59", Native Resolution: WXGA (1280 x 800), Aspect Ratio: 16:10, Type: Optical Zoom (Manual) / Focus (Manual), Zoom Ratio: 1 - 1.2, Focal Length: 16.90 - 20.28 mm; Throw Ratio: 1.30 - 1.56 (Wide to Tele), F-Number: 1.49 - 1.72. LOGITECH R400 Warranty: 1 local supplier warranty Presenter Laser Class: Class 2 Laser Max Output : Less than 1mW Wireless technology 2.4 GHz wireless technology Battery type 2 AAA batteries Dimensions (+/- 10%) H x W x D: 37.8 mm x 115.5 mm x 27.4 mm Warranty: 3 years local supplier warranty PROJECTOR WHITESCREEN • Ultra bright screen surface without bellows • Wrinkle free • Thicker surface for lifetime usage• Surface doesn't change color in time • Worry-free mechanism • Strong supports stand for windproof performance Dimensions: H x W: 70" x 70" Fabric: Matte White Warranty: 1 year warranty	2	404,000.00	80,800.00
31	unit	ROUTER, WIRELESS TP-LINK BE230 WiFi Speeds: BE3600 • 5 GHz: 2882 Mbps (802.11be) • 2.4 GHz: 688 Mbps (802.11be); WiFi Range : 3 Bedroom Houses, 4x External Antennas, Beamforming, Dual-Band, 2x2 MU-MIMO, OFDMA, Airtime Fairness, DFS; Advanced Features: Multi-Link Operation (MLO), 4K-QAM, Multi-Rus, EasyMesh-Compatible, Works with Alexa and Google Assistant, IoT Network; Wireless Mode: Router Mode, Access Point Mode; Network Security: • SPI Firewall• Access Control • IP & MAC Binding • Application Layer Gateway, Real-Time IoT Protection, Malicious Site Blocker, Intrusion Prevention System; DDoS Attack Prevention, Home Network Scanner, VPN Server: OpenVPN Server • PPT VPN Server • LTP VPN Server; VPN Client: Open VPN Client • PPTP VPN Client • L2TP VPN Client • WiFi Encryption: • WPA • WPA2 • WPA3 • WPA/WPA2-Enterprise (802.1x); Ethernet Ports • 1x 2.5 Gbps WAN • 1x 2.5 Gbps LAN • 3x 1 Gbps LAN; USB Support; 1x USB 3.0; Supported Partition Formats: NTFS, exFAT, HFS+, FAT32; • Supported Functions: FT Server, Media Server, Samba Server, Protocol-IPv4- IPv6; WAN Type: • Dynamic IP • Static IP • PPPoE • PPTP • L2TP; Quality of Service: QoS by Device; NAT Forwarding : • Port Forwarding • Port Triggering • DMZ • UPnP; DHCP• Address Reservation • DHCP Client List Server; Certifications: CE, FCC, RoHS; Warranty: 1 year local supplier warranty	10	5,100.00	51,000.00
32	unit	SCANNER, Barcode LS2208-SR20007R-UR Single-board construction; Scratch-resistant tempered glass exit window; Accurate first-time capture of 1D bar codes; wide working range; Multiple on-Board interfaces; Plug-and-play,; with universal cable Hands-free Intellistand; Advanced Data Formatting (ADF); Dimensions: (+/- 10%) (H x W x D): 6 in. x 2.5 in. x 3.34 in.; Color: Twilight Black	5	4,200.00	21,000.00
		<i>sub-total:</i>			1,473,400.00





PURCHASE ORDER

Procurement Unit

Telephone No.: (045) 606-8110 local 157/142


DELIVERY DUE DATE: 7/24/2024

Supplier : XYMBOLIC IT SOLUTIONS PROVIDER CORPORATION	P.O. No. : 2026-111
Address : <u>Stall F1-F3, F9-F11, City Square Park Arcade, 38 Magsaysay Drive, East Tapinac, Olongapo City, Zambales</u>	Date : 02/24/2026
TIN : <u>739-829-004-00000 VAT Reg.</u>	Mode of Procurement : Public Bidding
Contact No : <u>(047) 222-8707</u>	

Gentlemen:
Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : TARLAC STATE UNIVERSITY	Delivery Term : 60 calendar days
Date of Delivery :	Payment Term : n/30

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
Balance Forwarded:					1,473,400.00
33	unit	SCANNER, HIGH SPEED EPSON DS-410 Scanner Type: A4 sheet-fed, one-pass duplex colour scanner Sensor Type Contact Image Sensor (CIS) x 2 Scanning Method Fixed carriage and moving document Optical Resolution 600 x 600 dpi Output Resolution 50 - 1,200 dpi (in 1 dpi increments) Scanner Bit Depth (Colour) 48-bit input, 24-bit output Max. Document Size 215.9 x 3,048 mm Scan Speed Resolution "200dpi: 26 ppm / 52 ipm (Monochrome, Colour) 300dpi: 26 ppm / 52 ipm (Monochrome, Colour) 600dpi: 21 ppm / 42 ipm (Monochrome), 7.0 ppm / 14 ipm (Colour)" ADF Capacity 50 sheets (80g/m2) Daily Duty Cycle up to 3,000 sheets / day Interface USB 2.0 Warranty: 1 year warranty	12	22,700.00	272,400.00
34	unit	SCANNER, WIRELESS BARCODE DS2208-SR7U2100SGW Maximum Scan Distance: 368mm Maximum Scan Rate: 110,000 per second 2400mAh Li-Ion battery Auto-host detect cable Deploy in every corner of the world Direct decode indicator, good decode LEDs, beeper (adjustable tone/volume) indicators Durable construction Flexible handheld or hands-free operation Input voltage range is from 4.5VDC to 5.5VDC Nova white, twilight black colour Operating temperature ranges between 0°C and 70°C Point-and-shoot scanning simplicity Standard Bluetooth version 4.0 with BLE Supported host interfaces are keyboard wedge, RS232, RS485, TGCS, USB, Wizard-Driven Truly plug-and-play Unsurpassed scanning range Warranty: 1 year local supplier warranty	6	5,200.00	31,200.00
37	unit	STORAGE, EXTERNAL HARD DISK DRIVE WESTERN DIGITAL WDBPKJ0050BBL-WESN BLUE 5TB Product Features Slim Style, built-in 256-bit AES hardware encryption with password protection, comes with backup software; Capacity: 5TB Connector: Micro-B Interface: UBS 3.2 Gen 1, USB 3.0, USB 2.0 Transfer Rate: up to 5Gb/s Warranty: 3 years manufacturer Warranty	1	8,700.00	8,700.00
38	unit	STORAGE, FLASH DRIVE SANDISK 16GB Speed: USB 3.2 Gen 1 compliant ; Warranty: 1 year local supplier warranty	2	400.00	800.00
39	unit	STORAGE, FLASH DRIVE SANDISK SDCZ410-0320-G46EP GREEN 32GB Feature, Ultimate portability, Quick and Convenient Capacity: 32GB Speed: USB 3.2 Gen 1 compliant Warranty: 1 year local supplier warranty	10	400.00	4,000.00
40	unit	STORAGE, NAS HARD DISK DRIVE WESTERN DIGITAL WD40EFPX-68C6CN0-WD RED 4TB Formatted capacity: 4 TB, Recording technology: CMR, Interface: SATA 6 Gb/s, Form factor: 3.5-inch, Drive technology: Air, Native command queuing: Yes, Advanced Format (AF): Yes, RoHS compliant: Yes; Performance: Internal transfer rate: up to 180 MB/s, Cache: 256 MB, RPM: 5,400 Reliability / Data Integrity: Load/unload cycles: 600,000, Non-recoverable errors per bits read: < 1 in 104, MTBF: 1,000,000 hours, Workload rate: 180 TB/year; Warranty: 3 years local supplier warranty	2	8,200.00	16,400.00
41	unit	STORAGE, NETWORK ATTACHED STORAGE CPU SYNOLOGY DISKSTATION DS225 + 2 BAY NAS SY-HAT3300-4T X2 Intel Celeron J4025 2-core 2.0 GHz, burst up to 2.9 GHz Hardware Encryption Engine : Yes System Memory: 2GB DDR4 Drive Bays: 2 Compatible Drive Type : 2 x 3.5" SATA HDD, 2.5" SATA SSD Hot Swappable Drive: Yes RJ-45 1GbE LAN Port: 2 USB 3.0 Port: 2 Internal Drives: Btrfs, EXT4 External Drives : Btrfs, EXT4, EXT3, FAT, NTFS, HFS+, exFAT Warranty: 2 years local supplier warranty NAS Hard Disk Capacity: 4TB Form Factor: 3.5" inch Rotational speed (RPM) : 5,400 RPM Interface: SATA 6Gb/s Warranty : 2 Years Local Supplier Warranty, Hard Disk Capacity: 8TB (2 x 4TB)	3	35,900.00	107,700.00
42	unit	STORAGE, PORTABLE EXTERNAL SSD SAMSUNG MU-PC1TOT/WW TITAN GRAY 1TB Interface: Compatible with USB 3.2 Gen2 (10 Gbps), backwards compatible Capacity: 1TB Transfer Speed : Up to 1,050 MB/s Sequential writes: Up to 1,000 MB/s UASP Mode: Supported Encryption : AES 256-bit hardware encryption Certification : CE, BSMI, KC, VCCI, C-tick, FCC, IC, UL, TUV, CB, EAC Thermal Control: Yes Warranty: 3 years manufacturer warranty	6	4,800.00	28,800.00
43	unit	STORAGE, PORTABLE EXTERNAL SSD SAMSUNG MU-PE4T0S/WW BLACK 4TB Features: Rugged Durability Keep cool at high speed Mighty Tough Compatible with your devices Durable Yet Stylish Capacity: 4TB Sequential Read Up to 1,050 MB/Sec Sequential Write Up to 1,000 MB/Sec Water/Dust Resistant : IP 65 Drop Resistant: Up to 3m Encyprtion : AES 256-bit hardware encryption Software : Yes. Compatible software Relaiabilty: Humidity: 5% to 95% non-condensing Shock, Non-operating: 1,500G, duration: 0.5ms, 3 axis Vibration, Non-operating : 20-2,000Hz, 20G; Certifications: CE, BSMI, KC, VCCI, C-tick, FCC, IC, UL, TUV, CB, EAC, UKCA, BIS RoHS Compliance : RoHS 2 Warranty: 3 years local supplier warranty	1	19,500.00	19,500.00
44	unit	STORAGE, SD CARD SAMSUNG EVO PLUS V30 MB-MC128SA/APC CLASS 10 128GB Form Factor: SDXC Capacity: 128GB Performance: Up to 200MB/s read speeds, Write speed up to 90MB/s Rated UHS Speed Class : Class 3 (U3) Video Speed Class : V30 Bus Type : UHS- Durability: Shockproof, Temperature Extremes, Waterproof, X-Ray Proof Security: Built-in write-protect switch prevents accidental data loss Warranty: 5 years local supplier warranty	5	700.00	3,500.00
<i>sub-total:</i>					1,966,400.00





PURCHASE ORDER

Procurement Unit

Telephone No.: (045) 606-8110 local 157/142

DELIVERY DUE DATE: 5/24/2020

Supplier : **XYMBOLIC IT SOLUTIONS PROVIDER CORPORATION**
 Address : **Stall F1-F3, F9-F11, City Square Park Arcade, 38 Magsaysay Drive, East Tapinac, Olongapo City, Zambales**
 TIN : **739-829-004-00000 VAT Reg.**
 Contact No : **(047) 222-8707**
 P.O. No. : **2026-111**
 Date : **02/24/2026**
 Mode of Procurement : **Public Bidding**

Gentlemen:
 Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : **TARLAC STATE UNIVERSITY**
 Date of Delivery : _____
 Delivery Term : **60 calendar days**
 Payment Term : **n/30**

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
Balance Forwarded:					1,966,400.00
45	unit	STORAGE, SD CARD SAMSUNG EVO PLUS V30 MB-MC256SA/APC CLASS 10 256GB Form Factor: SDXC Capacity: 256GB Performance: Up to 200MB/s read speeds, Write speed up to 140MB/s Rated UHS Speed Class : Class 3 (U3) Video Speed Class : V30 Bus Type : UHS-I; Durability: Shockproof, Temperature Extremes, Waterproof, X-Ray Proof Security : Built-in write-protect switch prevents accidental data loss Warranty: 5 years local supplier warranty	1	1,300.00	1,300.00
50	unit	TABLET, COMPUTER FOR MOBILE APP DEVELOPMENT APPLE IPAD 2025 MD4G4PP/A SILVER Capacity: 256GB Display : 10.9-inch (diagonal) LED-backlit Multi-Touch display with IPS technology 2360-by-1640-pixel resolution at 264 pixels per inch (ppi) Chip : Bionic Chip, 6core CPU, 4-core graphics, 16-core Neural Engine Camera: 12MP Wide camera f/1.8 aperture Digital zoom up to 5x Five-element lens Front Camera : 12MP Ultra Wide camera, 122° field of view, f/2.4 aperture, Smart HDR 3, 1080p HD video recording at 25 fps, 30 fps, or 60 fps Microphones: Dual Microphones Wireless : Wi-Fi 6 (802.11ax) with 2x2 MIMO; speeds up to 1.2 Gbps, Simultaneous dual band, Bluetooth 5.2 Sensors: Touch ID, Three-axis gyro, Accelerometer, Barometer, Ambient light sensor Battery : Built-in 28.6-watt-hour rechargeable lithium polymer battery Inclusions : Tablet, Lightning to USB-C Cable, 20W USB-C Power Adapter Warranty : warranty care plan for one year. Repair or Replacement, coverage both parts and labor, from manufacturer's authorized technicians or service centers	1	38,300.00	38,300.00
53	unit	TRANSCEIVER, SFP DEM-310GTT Transceiver Type : SFP Fiber Media Support: Single-Mode Speed : 1.25 Gbps Distance: 10 km Compliant Standard: IEEE802.3ah 1000BASE-BX-D Connector: Simplex LC connector Single/ Bi Direction : Bi-direction Wavelength : Tx: 1550 nm, Rx: 1310 nm Cable Type : Single-mode 9/125 um fiber Power Supply : 3.3 V Hot Pluggable: Yes MSA Compliant: Yes RoHS Compliant: Yes	10	1,700.00	17,000.00
54	unit	UNINTERRUPTED POWER SUPPLY APC BVX1200LI-MS Rated power in W: 650 W, Rated power in VA: 1200 VA, Input Connection Type: IEC 60320 C14; Output connection : 4 x universal, 1 x IEC 60320 C13, Battery type: Lead-acid battery; Mounting support Floor, Network frequency 50/60 Hz +/- 5 Hz auto-sensing; Input voltage limits 140 to 300 V 230 V AC, Output frequency 50/60 Hz +/- 1 Hz sync to mains UPS type Line interactive, Wave type: Stepped approximation to a sine wave; IP degree of protection: IP20, Battery voltage: 12 V, Battery capacity 9.0 Ah, Battery life 2 to 3 years), Surge energy rate 273J, Mercury free: Yes; Warranty: 2 years Local Supplier Warranty	1	7,100.00	7,100.00
55	unit	VOICE RECORDER SONY ICD-UX570F Specifications: Battery Type : Built-In Lithium Battery Built-In Memory: 4 GB Built-In Microphone: Yes Calendar Search : Yes LCD Backlight: Yes Maximum Files Per Folder: 199 Maximum Files (Total): 5,000 Files (Including Number Of Folder); PC Connectivity: Yes Playback Format LPCM/MP3/AAC/WMA Recording Format: Linear PCM/MP3; USB Connection Charging: Yes Scene Select : Yes; Sync Recording Function: Yes Recording Monitor: Yes; FM Radio Recording: Yes VOR: Yes A-B Repeat : Yes; Digital Pitch Control (Speed Control): Yes Divide : Yes; Easy Search: Yes Erase: Yes File Copy : Yes Folder Name Change (Without Using PC) : Yes; Graphic Equalizer : Yes; Move File: Yes Noise Cut : Yes (Clear Voice) Protect : Yes; USB direct connection for quick file transfer; MicroSD card: Form Factor: microSDXC Capacity: 64GB; Bus Speed Mode: UHS-I SDR104 Speed Class: Class 10, V10 Speed Grade : Grade 1 (U1) Transfer Speed : Up to 130MB/s Durability: 10,000 mating cycles MicroSD card: Form Factor : microSDXC Capacity: 64GB. Bus Bus Speed Mode: UHS-I SDR104 Speed Class : Class 10, V10 Speed Grade : Grade 1 (U1) Transfer Speed : Up to 130MB/s Durability: 10,000 mating cycles Proof Features : Water-proof, Temperature-proof, X-ray-proof, Magnetic-proof, Drop-proof, Wearout-proof Features: Fast and Smooth, Expand and Store big, Fully protected Warranty: 1 year warranty"	5	7,000.00	35,000.00
					2,065,100.00
***** Purpose: "Supply and Delivery of I.T Tools, Supplies and Accessories (APP 2025) (P.R. No. 2025-09-302)					

Two Million Sixty-five Thousand One Hundred Pesos Only

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed on the undelivered item/s. Contract may be terminated in whole or in part, at anytime for the convenience of the Government upon thirty (30) calendar days' written notice, if determined the existence of conditions make the project implementation economically, financially or technically impractical and/or unnecessary, such as, but not limited to, fortuitous event/s or changes in law and national government policies.

Conforme: _____
 Signature over Printed Name of Supplier: **VILWA B. SAYS**
 Date: _____
 Very truly yours,
ARNOLD E. VELASCO
 President
 Authorized Official
MAR 1 2 2026

Fund Cluster : _____
 Funds Available : _____
JASPER A. YAUDER, CPA
 Budget Officer
 ORS/BURS No. : **12-201441-1026-03-1124**
 Date of the ORS/BURS: **12 MAR 2026**
 Amount : **2,065,100**